



# California Regional Water Quality Control Board

## San Diego Region



**Linda S. Adams**  
Secretary for  
Environmental Protection

Over 50 Years Serving San Diego, Orange, and Riverside Counties  
Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA

**Arnold Schwarzenegger**  
Governor

9174 Sky Park Court, Suite 100, San Diego, California 92123-4353  
(858) 467-2952 • Fax (858) 571-6972  
<http://www.waterboards.ca.gov/sandiego>

December 2, 2009

**Certified Mail – Return Receipt Requested**  
Article Number: 7009 1410 0002 2347 6880

Jason Kapchinske  
Environmental Specialist  
San Diego Gas & Electric  
8315 Century Park Ct, CP21J  
San Diego, CA 92123

**In reply refer to:**  
745164: mporter

Dear Mr. Kapchinske:

Subject: Action on Request for Clean Water Act Section 401 Water Quality Certification for the ETS 7451 Reinforce Existing Overhead Facilities, Del Dios Project Water Quality Certification No. 09C-070

Enclosed find Clean Water Act Section 401 Water Quality Certification for discharge to Waters of the U.S. for the project titled ETS 7451 Reinforce Existing Overhead Facilities, Del Dios. The proposed project is the replacement of an existing wood pole with a taller 50-foot wood pole and installment of an anchor below ground with a 25-foot guy wire to the south and replacement of an existing anchor to the southwest. The project site is located approximately 0.75 mile southwest of Olivenhain dam off of Via Ambiente Road near Del Dios Highway in Rancho Santa Fe, San Diego County, California.

A detailed description of the project and project location can be found in the project information sheet, project location map, and project site maps, by the Regional Board, which are included as Attachments 1 through 5.

Any petition for reconsideration of this Certification must be filed with the State Water Resources Control Board within 30 days of certification action (23 CCR § 3867). If no petition is received, it will be assumed that you have accepted and will comply with all the conditions of this Certification.

Failure to comply with all conditions of this Certification may subject you to enforcement actions by the California Regional Water Quality Control Board, San Diego Region, including administrative enforcement orders requiring you to cease and desist from violations, or to clean up waste and abate existing or threatened conditions of pollution or nuisance; administrative civil liability in amounts of up to \$10,000 per day per violation; referral to the State Attorney General for injunctive relief; and, referral to the District Attorney for criminal prosecution.

**California Environmental Protection Agency**

Jason Kapckinske  
ETS 7451 Reinforce Existing  
Overhead Facilities, Del Dios  
09C-070

Page 2 of 2

December 2, 2009

In the subject line of any response, please include the requested "In reply refer to:" information located in the heading of this letter. For questions pertaining to the subject matter, please contact Mike Porter at (858) 467-2726 or mporter@waterboards.ca.gov.

Respectfully,



DAVID W. GIBSON  
Executive Officer

Enclosures:

Clean Water Act Section 401 Water Quality Certification No. 09C-070 for ETS 7451 Reinforce Existing Overhead Facilities, Del Dios project, with 5 attachments

cc: Refer to Attachment 2 of Certification 09C-070 for Distribution List.

Tech Staff Info & Use	
File No.	09C-070
WDID	9000001969
Reg. Measure ID	371594
Place ID	745164
Party ID	43008
Person ID	506039



**Linda S. Adams**  
Secretary for  
Environmental Protection

# California Regional Water Quality Control Board San Diego Region

Over 50 Years Serving San Diego, Orange, and Riverside Counties  
Recipient of the 2004 Environmental Award for Outstanding Achievement from USEPA

9174 Sky Park Court, Suite 100, San Diego, California 92123-4340  
(858) 467-2952 • Fax (858) 571-6972  
[http:// www.waterboards.ca.gov/sandiego](http://www.waterboards.ca.gov/sandiego)



**Arnold Schwarzenegger**  
Governor

## Action on Request for Clean Water Act Section 401 Water Quality Certification and Waste Discharge Requirements for Discharge of Dredged and/or Fill Materials

**PROJECT: ETS 7451 Reinforce Existing Overhead  
Facilities, Del Dios, Certification Number  
09C-070, WDID: 9 000001969**

**APPLICANT: Jason Kapchinske  
Environmental Specialist  
San Diego Gas & Electric  
8135 Century Park Ct, CP21J  
San Diego, CA 92123**

CIWQS Reg. Meas. ID: 371594 Place ID: 745164 Party ID: 43008
---

**ACTION:**

<input checked="" type="checkbox"/> Order for Low Impact Certification	<input type="checkbox"/> Order for Denial of Certification
<input type="checkbox"/> Order for Technically-conditioned Certification	<input type="checkbox"/> Waiver of Waste Discharge Requirements
<input checked="" type="checkbox"/> Enrollment in SWRCB GWDR Order No. 2003-017 DWQ	<input type="checkbox"/> Enrollment in Isolated Waters Order No. 2004-004 DWQ

**PROJECT DESCRIPTION:** The proposed project is the replacement of an existing wood pole with a taller 50-foot wood pole and installment of an anchor below ground with a 25-foot guy wire to the south and replacing an existing anchor to the southwest. The project would include lowering crossarms on cable pole P190313, lowering arms and installing a new anchor on P510938, and installing aviation spheres on line from P510937 northwest to P510938 (2 pole spans). The project site is located approximately 0.75 mile southwest of Olivenhain Dam off of Via Ambiente near Del Dios Highway in Rancho Santa Fe, San Diego County, California.

**STANDARD CONDITIONS:**

The following three standard conditions apply to all Certification actions, except as noted under Condition 3 for denials (Action 3).

***California Environmental Protection Agency***

*The energy challenge facing California is real. Every Californian needs to take immediate action to reduce energy consumption. For a list of simple ways you can reduce demand and cut your energy costs, see our Web-site at <http://www.swrcb.ca.gov>.*

1. This Certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to section 13330 of the California Water Code and section 3867 of Title 23 of the California Code of Regulations (23 CCR).
2. This Certification action is not intended and must not be construed to apply to any discharge from any activity involving a hydroelectric facility requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent Certification application was filed pursuant to 23 CCR subsection 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
3. The validity of any non-denial Certification action (Actions 1 and 2) must be conditioned upon total payment of the full fee required under 23 CCR section 3833, unless otherwise stated in writing by the certifying agency.

**ADDITIONAL CONDITIONS:**

In addition to the three standard conditions, San Diego Gas & Electric (SDG&E) must satisfy the following:

**A. GENERAL CONDITIONS:**

1. SDG&E must, at all times, fully comply with the engineering plans, specifications and technical reports submitted to the California Regional Water Quality Control Board, San Diego Region (Regional Board), to support this 401 Water Quality Certification (Certification) and all subsequent submittals required as part of this Certification and as described in Attachment 1. The conditions within this Certification must supersede conflicting provisions within such plans submitted prior to the Certification action. Any modifications thereto, would require notification to the Regional Board and reevaluation for individual Waste Discharge Requirements and/or Certification amendment.
2. During construction, SDG&E must maintain a copy of this Certification at the project site so as to be available at all times to site personnel and agencies.
3. SDG&E must permit the Regional Board or its authorized representative at all times, upon presentation of credentials:
  - a. Entry onto project premises, including all areas on which wetland fill or wetland mitigation is located or in which records are kept.
  - b. Access to copy any records required to be kept under the terms and conditions of this Certification.

- c. Inspection of any treatment equipment, monitoring equipment, or monitoring method required by this Certification.
  - d. Sampling of any discharge or surface water covered by this Order.
4. SDG&E must notify the Regional Board within **24 hours** of any unauthorized discharge, including hazardous or toxic materials, to waters of the U.S. and/or State; measures that were implemented to stop and contain the discharge; measures implemented to clean-up the discharge; the volume and type of materials discharged and recovered; and additional best management practice (BMPs) or other measures that will be implemented to prevent future discharges.
5. SDG&E must, at all times, maintain appropriate types and sufficient quantities of materials onsite to contain any spill or inadvertent release of materials that may cause a condition of pollution or nuisance if the materials reach waters of the U.S. and/or State.
6. This Certification is not transferable in its entirety or in part to any person except after notice to the Executive Officer of the Regional Board. SDG&E must also notify the Regional Board of any change in ownership of the project area. Notification of change in ownership must include, but not be limited to, a statement that SDG&E has provided the purchaser or transferee with a copy of the Section 401 Water Quality Certification and that the purchaser or transferee understands and accepts the certification requirements and the obligation to implement them or be subject to liability for failure to do so. If the property is sold, the seller and purchaser must sign and date the notification. If the Certification is transferred, the Certification holder and transferee must sign and date the notification. The notification for transfer of mitigation responsibility shall include a signed statement from the new party demonstrating acceptance and understanding of the responsibility to meet the mitigation conditions and applicable requirements of the Certification. Notification must be provided within **10 days** of the sale and/or transfer of the property.
7. In the event of any violation or threatened violation of the conditions of this Certification, the violation or threatened violation must be subject to any remedies, penalties, process or sanctions as provided for under State law. For purposes of section 401(d) of the Clean Water Act, the applicability of any State law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Certification.
8. In response to a suspected violation of any condition of this Certification, the Regional Board may require the holder of any permit or license subject to this Certification to furnish, under penalty of perjury, any technical or monitoring

reports the Regional Board deems appropriate, provided that the burden, including costs, of the reports must bear a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.

9. In response to any violation of the conditions of this Certification, the Regional Board may add to or modify the conditions of this Certification as appropriate to ensure compliance.

**B. PROJECT CONDITIONS:**

1. Prior to the start of the project, SDG&E must educate all personnel on the requirements in this Certification, pollution prevention measures, spill response, and BMP implementation and maintenance.
2. SDG&E must comply with the requirements of State Water Resources Control Board Water Quality Order No. 2003-0017-DWQ, Statewide General Waste Discharge Requirements for discharges of dredged or fill material that have received State Water Quality Certification. These General Waste Discharge Requirement are accessible at:  
[http://www.waterboards.ca.gov/water\\_issues/programs/cwa401/docs/general\\_orders/go\\_wdr401regulated\\_projects.pdf](http://www.waterboards.ca.gov/water_issues/programs/cwa401/docs/general_orders/go_wdr401regulated_projects.pdf).
3. SDG&E must notify the Regional Board in writing at least **5 days prior** to the actual commencement of dredge, fill, and discharge activities.
4. The treatment, storage, and disposal of wastewater during the life of the project must be done in accordance with waste discharge requirements established by the Regional Board pursuant to CWC § 13260.
5. All surface waters, including ponded waters, must be diverted away from areas undergoing grading, construction, excavation, vegetation removal, and/or any other activity which may result in a discharge to the receiving water. Diversion activities must not result in the degradation of beneficial uses or exceedance of water quality objectives of the receiving waters. Any temporary dam or other artificial obstruction constructed must only be built from materials such as clean gravel which will cause little or no siltation. Normal flows must be restored to the affected stream immediately upon completion of work at that location.
6. Substances hazardous to aquatic life including, but not limited to, petroleum products, raw cement/concrete, asphalt, and coating materials, must be prevented from contaminating the soil and/or entering waters of the United States and/or State. BMPs must be implemented to prevent such discharges during each project activity involving hazardous materials.

**C. COMPENSATORY MITIGATION FOR LOSS OF WATERS OF THE U.S./STATE**

1. Mitigation for temporary impacts to 0.002 acre (106 square feet) must be achieved by the onsite restoration of the project area to pre-project conditions. Restoration must include grading of disturbed areas to pre-project contours and revegetation with native species. The SDG&E must implement all necessary BMPs to control erosion and runoff from areas associated with this project.
2. SDG&E must restore all areas of temporary impacts and all other areas of temporary disturbance which could result in a discharge or a threatened discharge to waters of the United States/State within 1 calendar year.
3. For purposes of this Certification, establishment is defined as the creation of vegetated or unvegetated waters of the U.S./State where the resource has never previously existed (e.g. conversion of nonnative grassland to a freshwater marsh). Restoration is divided into two activities, re-establishment and rehabilitation. Re-establishment is defined as the return of natural/historic functions to a site where vegetated or unvegetated waters of the U.S./State previously existed (e.g., removal of fill material to restore a drainage). Rehabilitation is defined as the improvement of the general suite of functions of degraded vegetated or unvegetated waters of the U.S./State (e.g., removal of a heavy infestation or monoculture of exotic plant species from jurisdictional areas and replacing with native species). Enhancement is defined as the improvement to one or two functions of existing vegetated or unvegetated waters of the U.S./State (e.g., removal of small patches of exotic plant species from an area containing predominantly natural plant species). Preservation is defined as the acquisition and legal protection from future impacts in perpetuity of existing vegetated or unvegetated waters of the U.S./State (e.g., conservation easement).

**D. STREAM PHOTO DOCUMENTATION PROCEDURE**

1. SDG&E, and its successors, must conduct photo documentation of the project site, including all areas of permanent and temporary impact, prior to and after project construction, and mitigation areas, including all areas of permanent and temporary impact, prior to and after project construction. Photo documentation must be conducted in accordance with the State Water Resources Control Board Standard Operating Procedure 4.2.1.4: Stream Photo Documentation Procedure, included as <Attachment Number (6)>. In addition, photo documentation must include Geographic Positioning System (GPS) coordinates for each of the photo points referenced. SDG&E must submit this information in a photo documentation report to the Regional Board with the Mitigation Maintenance and Monitoring reports. The report must include a compact disc that contains digital files of all the photos (jpeg file type or similar).

**E. REPORTING:**

1. All information requested in this Certification is pursuant to California Water Code (CWC) section 13267. Civil liability may be administratively imposed by the Regional Board for failure to furnish requested information pursuant to CWC section 13268.
2. All reports and information submitted to the Regional Board must be submitted in both hardcopy and electronic format. The preferred electronic format for each report submission is one file in PDF format that is also Optical Character Recognition (OCR) capable.
3. All applications, reports, or information submitted to the Regional Board must be signed and certified as follows:
  - a. For a corporation, by a responsible corporate officer of at least the level of vice president.
  - b. For a partnership or sole proprietorship, by a general partner or proprietor, respectively.
  - c. For a municipality, or a state, federal, or other public agency, by either a principal executive officer or ranking elected official.
4. A duly authorized representative of a person designated in Items 4.a. through 4.c. above may sign documents if:
  - a. The authorization is made in writing by a person described in Items 4.a. through 4.c. above.
  - b. The authorization specifies either an individual or position having responsibility for the overall operation of the regulated activity.
  - c. The written authorization is submitted to the Regional Board Executive Officer.
5. All applications, reports, or information submitted to the Regional Board must be signed and certified as follows:

*"I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."*
6. SDG&E must submit reports required under this Certification, or other information required by the Regional Board, to:

Executive Officer  
California Regional Water Quality Control Board  
San Diego Region  
Attn: 401 Certification; Project No. 09C-070  
9174 Sky Park Court, Suite 100  
San Diego, California 92123

6. Required Reports: The following list summarizes the reports required per the conditions of this Certification to be submitted to the Regional Board.

<b>Report Topic</b>	<b>Certification Condition</b>	<b>Due Date(s)</b>
Spill notification	A.4	Within 24 hours of discharge
Transfer of property ownership/certification	A.6	Within 10 days of sale/transfer
Dredge/fill commencement	B.3	5 days prior to dredge/fill commencement
Stream Photo Documentation	D.1	Prior to and after project construction, to be submitted with the mitigation monitoring reports

**PUBLIC NOTIFICATION OF PROJECT APPLICATION:**

On September 17, 2009 receipt of the project application was posted on the Regional Board web site to serve as appropriate notification to the public.

**REGIONAL WATER QUALITY CONTROL BOARD CONTACT PERSON:**

Mike Porter or Bree Bourassa  
California Regional Water Quality Control Board, San Diego Region  
9174 Sky Park Court, Suite 100  
San Diego, CA 92123  
858-467-2726  
mporter@waterboards.ca.gov  
858-627-3933  
bbourassa@waterboards.ca.gov

**WATER QUALITY CERTIFICATION:**

I hereby certify that the proposed discharge from ETS 7451 Reinforce Existing Overhead Facilities, Del Dios (Project No. 09C-070) will comply with the applicable provisions of sections 301 ("Effluent Limitations"), 302 ("Water Quality Related Effluent Limitations"), 303 ("Water Quality Standards and Implementation Plans"), 306 ("National Standards of Performance"), and 307 ("Toxic and Pretreatment Effluent Standards") of the Clean Water Act. This discharge is also regulated under State Water Board Order No. 2003-0017-DWQ, "Statewide General Waste Discharge Requirements for Dredged or Fill Discharges that have Received State Water Quality Certification (General WDRs)," which requires compliance with all conditions of this Water Quality Certification. Please note that enrollment under Order No. 2003-017 DWQ is conditional and, should new information come to our attention that indicates a water quality problem, the Regional Board may issue waste discharge requirements at that time.

Except insofar as may be modified by any preceding conditions, all Certification actions are contingent on (a) the discharge being limited and all proposed mitigation being completed in strict compliance with the applicants' project description and/or on the attached Project Information Sheet, and (b) on compliance with all applicable requirements of the Regional Board's Water Quality Control Plan (Basin Plan).

  
\_\_\_\_\_  
DAVID W. GIBSON  
Executive Officer  
Regional Water Quality Control Board

12-2-09  
Date

- Attachments:
1. Project Information
  2. Distribution List
  3. Location Map
  4. Site Map
  5. Stream Photo Documentation Procedure

**ATTACHMENT 1  
PROJECT INFORMATION**

Applicant: San Diego Gas & Electric  
Attention: Jason Kapchinske  
8315 Century Park Court, CP21J  
San Diego, CA 92123  
Telephone: 858-637-3756  
Email: jkapchinske@semprautilities.com

Applicant  
Representatives: EDAW/AECOM  
Attention: Julie Ogilvie  
1420 Kettner Blvd, Ste. 500  
San Diego, CA 92101  
Telephone: 619-764-6822  
Facsimile: 619-233-0952  
Email: Julie.ogilvie@aecom.com

Project Name: ETS 7451 Reinforce Existing Facilities, Del Dios

Project Location: The project site is located approximately 0.75 mile southwest of Olivenhain dam off of Via Ambiente near Del Dios Highway in Rancho Santa Fe, San Diego County, California. Latitude: 33.03910, Longitude: -117.08647

Type of Project: Utility pole replacement

Need for Project: The proposed project is necessary for fire safety.

Project Description: The proposed project is the replacement of an existing wood pole with a taller 50-foot wood pole and installment of an anchor below ground with a 25-foot guy wire to the south and replacing an existing anchor to the southwest. The project would include lowering crossarms on cable pole P190313, lowering arms and installing a new anchor on P510938, and installing aviation spheres on line from P510937 northwest to P510938 (2 pole spans).

Federal  
Agency/Permit: U.S. Army Corps of Engineers §404, Non-notifying NWP 12,  
Therese O'Rourke

California  
Environmental Quality  
Act (CEQA)  
Compliance: Notice of Exemption - ETS 7451 Reinforce Existing Facilities,  
Del Dios, November 30, 2009, Regional Water Quality Control  
Board

Receiving Water: Escondido Creek, Carlsbad HU, Escondido Creek HA, San Elijo HSA

Affected Waters of the United States: Temporary:  
Riparian – 0.002 acre (106 square feet)  
Permanent:  
Wetland – 0.00005 acre (2 square feet)

Compensatory Mitigation: Mitigation for all permanent and temporary impacts must be achieved by the restoration of the project area to pre-project conditions.

Mitigation Location: On-site

Public Notice: September 17, 2009 on the Regional Board website

Fees: Total Due: \$640.00  
Total Paid: \$640.00 (check No. 752568)

CIWQS: Regulatory Measure ID: 371594  
Place ID: 745164  
Party ID: 43008

**ATTACHMENT 2  
DISTRIBUTION LIST**

Cc:

U.S. Army Corps of Engineers, Regulatory Branch  
San Diego Field Office  
6010 Hidden Valley Rd, Suite 105  
San Diego, CA 92011-4213


Cc via email:

Julie Ogilvie  
EDAW/AECOM  
Julie.ogilvie@aecom.com


David Smith  
Wetlands Regulatory Office  
U.S. Environmental Protection Agency, Region 9  
R9-WTR8-Mailbox@epa.gov

Bill Orme  
State Water Resources Control Board, Division of Water Quality  
Stateboard401@waterboards.ca.gov

### ATTACHMENT 3 PROJECT LOCATION



### ATTACHMENT 4 SITE MAP



## **ATTACHMENT 5 STREAM PHOTO DOCUMENTATION PROCEDURES**

### **Standard Operating Procedure (SOP)**

#### **Stream Photo Documentation Procedure**

(CARCD 2001, Written by TAC Visual Assessments work group)

#### **Introduction:**

Photographs provide a qualitative, and potentially semi-quantitative, record of conditions in a watershed or on a water body. Photographs can be used to document general conditions on a reach of a stream during a stream walk, pollution events or other impacts, assess resource conditions over time, or can be used to document temporal progress for restoration efforts or other projects designed to benefit water quality. Photographic technology is available to anyone and it does not require a large degree of training or expensive equipment. Photos can be used in reports, presentations, or uploaded onto a computer website or GIS program. This approach is useful in providing a visual portrait of water resources to those who may never have the opportunity to actually visit a monitoring site.

#### **Equipment:**

Use the same camera to the extent possible for each photo throughout the duration of the project. Either 35 mm color or digital color cameras are recommended, accompanied by a telephoto lens. If you must change cameras during the program, replace the original camera with a similar one comparable in terms of media (digital vs. 35 mm) and other characteristics. A complete equipment list is suggested as follows:

#### Required:

- Camera and backup camera
- Folder with copies of previous photos (do not carry original photos in the field)
- Topographic and/or road map
- Aerial photos if available
- Compass
- Timepiece
- Extra film or digital disk capacity (whichever is applicable)
- Extra batteries for camera (if applicable)
- Photo-log data sheets or, alternatively, a bound notebook dedicated to the project
- Yellow photo sign form and black marker, or, alternatively, a small black board and chalk

Optional:

- GPS unit
- Stadia rod (for scale on landscape shots)
- Ruler (for scale on close up views of streams and vegetation)
- Steel fence posts for dedicating fixed photo points in the absence of available fixed landmarks

**How to Access Aerial Photographs:**

Aerial Photos can be obtained from the following federal agencies:

USGS Earth Science Information Center  
507 National Center  
12201 Sunrise Valley Drive  
Reston, VA 22092  
800-USA-MAPS

USDA Consolidated Farm Service Agencies  
Aerial Photography Field Office  
222 West 2300 South  
P.O. Box 30010  
Salt Lake City, UT 84103-0010  
801-524-5856

Cartographic and Architectural Branch  
National Archives and Records Administration  
8601 Adelphi Road  
College park, MD 20740-6001  
301-713-7040

**Roles and Duties of Team:**

The team should be comprised of a minimum of two people, and preferably three people for restoration or other water quality improvement projects, as follows:

1. Primary Photographer
2. Subject, target for centering the photo and providing scale
3. Person responsible for determining geographic position and holding the photo sign forms or blackboard.

One of these people is also responsible for taking field notes to describe and record photos and photo points.

**Safety Concerns:**

Persons involved in photo monitoring should **ALWAYS** put safety first. For safety reasons, always have at least two 2 volunteers for the survey. Make sure that the area(s) you are surveying either are accessible to the public or that you have obtained permission from the landowner prior to the survey.

Some safety concerns that may be encountered during the survey include, but are not limited to:

- Inclement weather
- Flood conditions, fast flowing water, or very cold water
- Poisonous plants (e.g.: poison oak)
- Dangerous insects and animals (e.g.: bees, rattlesnakes, range animals such as cattle, etc.)
- Harmful or hazardous trash (e.g.: broken glass, hypodermic needles, human feces)

We recommend that the volunteer coordinator or leader discuss the potential hazards with all volunteers prior to any fieldwork.

### **General Instructions:**

From the inception of any photo documentation project until it is completed, always take each photo from the same position (photo point), and at the same bearing and vertical angle at that photo point. Photo point positions should be thoroughly documented, including photographs taken of the photo point. Refer to copies of previous photos when arriving at the photo point. Try to maintain a level (horizontal) camera view unless the terrain is sloped. (If the photo can not be horizontal due to the slope, then record the angle for that photo.) When photo points are first being selected, consider the type of project (meadow or stream restoration, vegetation management for fire control, ambient or event monitoring as part of a stream walk, etc.) and refer to the guidance listed on *Suggestions for Photo Points by Type of Project*.

When taking photographs, try to include landscape features that are unlikely to change over several years (buildings, other structures, and landscape features such as peaks, rock outcrops, large trees, etc.) so that repeat photos will be easy to position. Lighting is, of course, a key ingredient so give consideration to the angle of light, cloud cover, background, shadows, and contrasts. Close view photographs taken from the north (i.e., facing south) will minimize shadows. Medium and long view photos are best shot with the sun at the photographer's back. Some artistic expression is encouraged as some photos may be used on websites and in slide shows (early morning and late evening shots may be useful for this purpose). Seasonal changes can be used to advantage as foliage, stream flow, cloud cover, and site access fluctuate. It is often important to include a ruler, stadia rod, person, farm animal, or automobile in photos to convey the scale of the image. Of particular concern is the angle from which the

photo is taken. Oftentimes an overhead or elevated shot from a bridge, cliff, peak, tree, etc. will be instrumental in conveying the full dimensions of the project. Of most importance overall, however, is being aware of the goal(s) of the project and capturing images that clearly demonstrate progress towards achieving those goal(s). Again, reference to *Suggestions for Photo Points by Type of Project* may be helpful.

If possible, try to include a black board or yellow photo sign in the view, marked at a minimum with the location, subject, time and date of the photograph. A blank photo sign form is included in this document.

### **Recording Information:**

Use a systematic method of recording information about each project, photo point, and photo. The following information should be entered on the photo-log forms (blank form included in this document) or in a dedicated notebook:

- Project or group name, and contract number (if applicable, e.g., for funded restoration projects)
- General location (stream, beach, city, etc.), and short narrative description of project's habitat type, goals, etc.
- Photographer and other team members
- Photo number
- Date
- Time (for each photograph)
- Photo point information, including:
  - Name or other unique identifier (abbreviated name and/or ID number)
  - Narrative description of location including proximity to and direction from notable landscape features like roads, fence lines, creeks, rock outcrops, large trees, buildings, previous photo points, etc. – sufficient for future photographers who have never visited the project to locate the photo point
  - Latitude, longitude, and altitude from map or GPS unit
- Magnetic compass bearing from the photo point to the subject
- Specific information about the subject of the photo
- Optional additional information: a true compass bearing (corrected for declination) from photo point to subject, time of sunrise and sunset (check newspaper or almanac), and cloud cover.

For ambient monitoring, the stream and shore walk form should be attached or referenced in the photo-log.

When monitoring the implementation of restoration, fuel reduction, or Best Management Practices (BMP) projects, include or attach to the photo-log a

narrative description of observable progress in achieving the goals of the project. Provide supplementary information along with the photo, such as noticeable changes in habitat, wildlife, and water quality and quantity.

Archive all photos, along with the associated photo-log information, in a protected environment.

### **The Photo Point: Establishing Position of Photographer:**

1. Have available a variety of methods for establishing position: maps, aerial photos, GPS, permanent markers and landmarks, etc. If the primary method fails (e.g., a GPS or lost marker post) then have an alternate method (map, aerial photo, copy of an original photograph of the photo-point, etc).
2. Select an existing structure or landmark (mailbox, telephone pole, benchmark, large rock, etc.), identify its latitude and longitude, and choose (and record for future use) the permanent position of the photographer relative to that landmark. Alternatively, choose the procedure described in *Monitoring California's Annual Rangeland Vegetation* (UC/DANR Leaflet 21486, Dec. 1990). This procedure involves placing a permanently marked steel fence post to establish the position of the photographer.
3. For restoration, fuel reduction, and BMP projects, photograph the photo-points and carry copies of those photographs on subsequent field visits.

### **Determining the Compass Bearing:**

1. Select and record the permanent magnetic bearing of the photo center view. You can also record the true compass bearing (corrected for declination) but do not substitute this for the magnetic bearing. Include a prominent landmark in a set position within the view. If possible, have an assistant stand at a fixed distance from both the photographer and the center of the view, holding a stadia rod if available, within the view of the camera; preferably position the stadia rod on one established, consistent side of the view for each photo (right or left side).
2. Alternatively, use the procedure described in *Monitoring California's Annual Rangeland Vegetation* (UC/DANR Leaflet 21486, Dec. 1990). This procedure involves placing a permanently marked steel fence post to establish the position of the focal point (photo center).
3. When performing ambient or event photo monitoring, and when a compass is not available, then refer to a map and record the approximate bearing as north, south, east or west.

### **Suggestions for Photo Points by Type of Project:**

#### *Ambient or Event Monitoring, Including Photography Associated with Narrative Visual Assessments:*

1. When first beginning an ambient monitoring program take representative long and/or medium view photos of stream reaches and segments of shoreline being monitored. Show the positions of these photos on a map, preferably on the stream/shore walk form. Subjects to be photographed include a representative view of the stream or shore condition at the beginning and ending positions of the segment being monitored, storm drain outfalls, confluence of tributaries, structures (e.g., bridges, dams, pipelines, etc.).
2. If possible, take a close view photograph of the substrate (streambed), algae, or submerged aquatic vegetation.
3. Time series: Photographs of these subjects at the same photo points should be repeated annually during the same season or month if possible.
4. Event monitoring refers to any unusual or sporadic conditions encountered during a stream or shore walk, such as trash dumps, turbidity events, oil spills, etc. Photograph and record information on your photo-log and on your Stream and Shore Walk Visual Assessment form. Report pollution events to the Regional Board. Report trash dumps to local authorities.

#### *All Restoration and Fuel Reduction Projects – Time Series:*

Take photos immediately before and after construction, planting, or vegetation removal. Long term monitoring should allow for at least annual photography for a minimum of three years after the project, and thereafter at 5 years and ten years.

#### *Meadow Restoration:*

1. Aerial view (satellite or airplane photography) if available.
2. In the absence of an aerial view, a landscape, long view showing an overlapping sequence of photos illustrating a long reach of stream and meadow (satellite photos, or hill close by, fly-over, etc.)

3. Long view up or down the longitudinal dimension of the creek showing riparian vegetation growth bounded on each side by grasses, sedges, or whatever that is lower in height
4. Long view of conversion of sage and other upland species back to meadow vegetation
5. Long view and medium view of streambed changes (straightened back to meandering, sediment back to gravel, etc.)
6. Medium and close views of structures, plantings, etc. intended to induce these changes

*Stream Restoration/stabilization:*

1. Aerial view (satellite or airplane photography) if available.
2. In the absence of an aerial view, a landscape, long-view showing all or representative sections of the project (bluff, bridge, etc.)
3. Long view up or down the stream (from stream level) showing changes in the stream bank, vegetation, etc.
4. Long view and medium view of streambed changes (thalweg, gravel, meanders, etc.)
5. Medium and close views of structures, plantings, etc. intended to induce these changes.
6. Optional: Use a tape set perpendicular across the stream channel at fixed points and include this tape in your photos described in 3 and 4 above. For specific procedures refer to Harrelson, Cheryl C., C.L. Rawlins, and John P. Potyondy, *Stream Channel Reference Sites: An Illustrated Guide to Field Techniques*, United States Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, General Technical Report RM-245.

*Vegetation Management for Fire Prevention ("fuel reduction"):*

1. Aerial view (satellite or airplane photography) if available.
2. In the absence of an aerial view, a landscape, long view showing all or representative sections of the project (bluff, bridge, etc.)

3. Long view (wide angle if possible) showing the project area or areas. Preferably these long views should be from an elevated vantage point.
4. Medium view photos showing examples of vegetation changes, and plantings if included in the project. It is recommended that a person (preferably holding a stadia rod) be included in the view for scale
5. To the extent possible include medium and long view photos that include adjacent stream channels.

*Stream Sediment Load or Erosion Monitoring:*

1. Long views from bridge or other elevated position.
2. Medium views of bars and banks, with a person (preferably holding a stadia rod) in view for scale.
3. Close views of streambed with ruler or other common object in the view for scale.
4. Time series: Photograph during the dry season (low flow) once per year or after a significant flood event when streambed is visible. The flood events may be episodic in the south and seasonal in the north.
5. Optional: Use a tape set perpendicular across the stream channel at fixed points and include this tape in your photos described in 1 and 2 above. For specific procedures refer to Harrelson, Cheryl C., C.L. Rawlins, and John P. Potyondy, *Stream Channel Reference Sites: An Illustrated Guide to Field Techniques*, United States Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, General Technical Report RM-245.



PHOTO SIGN FORM: Print this form on yellow paper. Complete the following information for each photograph. Include in the photographic view so that it will be legible in the finished photo.

Location:

Subject Description:

Date:

Time: